



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



**Certificate N°** 0075/1955/162/02/21/0285

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** Jiangsu Hanvo Safety Product Co., Ltd  
HUANGSHAN ROAD, RUDONG NEW DEVELOPMENT ZONE, RUDONG  
COUNTY, JIANGSU  
CHINA

## Description

**PPE Type :** *protective sleeve against mechanical risks*  
**Product reference :** SPB-30  
**Article code :** /  
**Sleeve description :** UHMWPE/steel/polyester/spandex sleeves  
**Available sizes :** One size  
**Pictures :**



**Reference standard :**

**Levels of performance / class of protection**

« X » indicates that the sleeve has not been submitted to the test or the test method appears not to be suitable for the sleeve design or material.  
« 0 » indicates that the sleeve falls below the minimum performance level for the individual hazard.

**EN ISO 21420:2020**

-

**EN 388:2016 + A1:2018**

**2 X 4 X C**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from FEBRUARY 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**  
Didier GUISADO  
Certification and Quality Manager

**Date of first issue :** 15 February 2021  
**End of validity date :** 15 February 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
[www.cofrac.fr](http://www.cofrac.fr)

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**Jiangsu Hanvo Safety Product Co., Ltd**

**MANUFACTURER'S TECHNICAL FILE TO THE  
PPE REGULATION 2016/425**

Reference of the product	:	SPB-30
Article code	:	/
Technical file index	:	01
Last update	:	FEBRUARY 2021

## IDENTIFICATION

Reference of the product :	:	SPB-30
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	FEBRUARY 2021

### **Manufacturer :**

Jiangsu Hanvo Safety Product Co., Ltd

HUANGSHAN ROAD, RUDONG NEW DEVELOPMENT ZONE, RUDONG COUNTY,  
JIANGSU

CHINA

tel : 0086-513-81907309

fax : 0086-513-84536318

### **Factory :**

Jiangsu Hanvo Safety Product Co., Ltd

HUANGSHAN ROAD, RUDONG NEW DEVELOPMENT ZONE, RUDONG COUNTY,  
JIANGSU

CHINA

tel: 0086-513-81907309

fax: 0086-513-84536318

## SLEEVE DESCRIPTION

### General sleeve description :

UHMWPE/steel/polyester/spandex sleeves  
 This sleeve is designed against mechanical risks.  
 type of coating finish : no coating

### Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

## **Sleeve constitution :**

	Reference	Color	Material	Surfacic mass (g/m <sup>2</sup> )	Gauges	Thickness
Palm		yellow	UHMWPE/steel/polyester/spandex/elastic	380g/m <sup>2</sup>	13G	
Back		yellow	UHMWPE/steel/polyester/spandex	360g/m <sup>2</sup>	13G	
Cuff		yellow	UHMWPE/steel/polyester/spandex	360g/m <sup>2</sup>	13G	
		transparent	silicon dots			1mm
		white	elastic			
Binding		yellow	polyester			

## **PROTECTION SCOPE**

This sleeve meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This sleeve is designed against mechanical risks.  
It is a category II product.

## **GENERAL REQUIREMENTS**

### **Standard EN ISO 21420 : 2020**

Dexterity : N/A  
Available Size One size  
Range:

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Sleeve size	Sleeve length (cm)
One size	45

## **SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS**

« X » indicates that the sleeve has not been submitted to the test or the test method appears not to be suitable for the sleeve design or material.

« 0 » indicates that the sleeve falls below the minimum performance level for the individual hazard.

### **Mechanical hazard EN 388 : 2016 + A1 : 2018**

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	X
Cut Resistance method (EN ISO 13997)	C
Impact Protection	-

The levels of performance have been measured on the forearm

## TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S160301680_1 S201213213_1 S200909575_1	
EN 388	S201213213_1	
Other	S201213213_1 (ANSI CUT)	

## MARKING - PACKAGING

### Information printed on the sleeve :

Logo of Manufacturer :

Logo 

sleeve's reference : SPB-30

Article Code : /

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



### Method of marking on the glove :

silk printing on the back

### Packaging :

12 pairs per bag , 120 pairs per ctn

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

## MEANS OF CONTROL

Firstly, IQC will take sample to monitor (ISO 2859, G1) the knitting gloves performance. They check the gloves on hand former, and monitor the glove color, total length, weight, visual defect Ext. If find abnormal will follow the non-conforming procedure to handle it.

Then, IPQC will check the product after dipping, they will check the total length, palm width, weight, and monitor the visual defects and performance, example: taste, dipping position Ext.

The next is packing process, QA will monitor the logo, bag, carton, label Ext. If ok, the glove will be send to warehouse.

In warehouse, FQC will check the final product.

This is a strict monitor procedure. We pick out the defects around 2%-4% in this process. We can ensure the quality according it.

Then, we will ship the gloves to our customer site.

For EN388 test, we have been certified by SATRA, we have test machine in our laboratory. When we beginning a new order, we will test the gloves firstly. We also have the testing regularly during the production process. The testing includes abrasion(test every one year), cut, tear, puncture,TDM CUT.

For EN ISO 21420 test, we asked our vendor to according to the request, and they cannot use any materials which contain Hazardous Substances. For each style, we send the final gloves to third party to monitor it regularly

## INSTRUCTION FOR USE

**Jiangsu Hanvo Safety Product Co., Ltd**

HUANGSHAN ROAD, RUDONG NEW DEVELOPMENT ZONE, RUDONG COUNTY, JIANGSU CHINA

Sleeve reference : SPB-30

Article code: /


User notice index : 01

Last update : FEBRUARY 2021

**LOT**



HUANGSHAN ROAD, RUDONG NEW DEVELOPMENT ZONE, RUDONG COUNTY, JIANGSU, CHINA



### **sleeve description :**

UHMWPE/steel/polyester/spandex sleeves

This sleeve IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### **Applicable standards :**

The sleeve meets the requirements of the standard EN ISO 21420 : 2020 « Protective sleeves - General requirements and test methods ».

Dexterity: N/A

Available Size Range: A different hand sizing system from the one defined in EN ISO 21420 Annex B is used:

Sleeve size	Sleeve length (cm)
One size	45

Moreover, this sleeve has been designed for the following applications :

« X » indicates that the sleeve has not been submitted to the test or the test method appears not to be suitable for the sleeve design or material.

« 0 » indicates that the sleeve falls below the minimum performance level for the individual hazard.

### Application :

Mechanical hazard - EN 388 : 2016 + A1:2018



2 X 4 X C

Levels of performance

Abrasion resistance	2	(on 4 maxi)
Blade cut resistance	X	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	X	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	C	(A to F)
Impact Protection		

### **Protection limit :**

Users should be warned that sleeves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the sleeve.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. The glove is not washable.

Before use, the sleeve shall be visually controlled, in case of deterioration the sleeves must be scrapped (abrasion, cut, tear, ...).

This sleeve shall not be in contact with fire.

For sleeves with different layers of material, the performance levels are warranted only for the whole sleeve.

For sleeves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

### **Storage and cleaning notice**

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

### **PPE subject to ageing :**

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

### **Declaration of conformity :**

Available with product.